

Product information

Index	13.5508.3030.63
Category	Selfcontained luminaires
Family	Evolution

Light and electrical features

Light source	LED
Type	Non maintained
Self-test	Yes
Colour temperature [K]	5000
Operating temperature	5°C to 40°C
Voltage	220...240V, 50...60 Hz
Degree of insulation	Class 2
Number of LEDs	4
Visual indications (LED colour)	Green
Glow wire test	850°C
Lifetime of LED sources [h]	50000
Real power of luminaire [W]	1.01
Real luminous flux [lm]	150

Battery

Autonomy [h]	1
Battery type	Ni-Cd
Battery voltage	2,4V
Capacity	1,2Ah

Mechanical features

Installation	wall surface
Material	Polycarbonate
Colour	white RAL 9003
Ingress protection degree (IP)	44
Impact protection (IK)	4
Dimensions A x B x H [mm]	90 x 254 x 50
Weight [kg]	0.358



Developed as an evolution of our basic range of self-contained emergency luminaires, Evolution is ideal for installation both on the surface and recessed, respecting any architectural environment.

Consult us for custom made versions.




Light distribution




Accessories




Index: 13.5508.0002.00
Name: EVO Device for ceiling flush mounting. Cutout dimensions as per template provided




Index: 13.5508.0003.00
Name: EVO Device for wall flush mounting



Index: 13.5508.0004.00
Name: EVO Additional frame Evolution dimensions 178x400mm



Index: 13.5508.0005.00
Name: EVO "Right/left ARROW" sign. Self-adhesive sign dimensions 226 x 110 mm




Index: 13.5508.0006.00
Name: EVO "Down ARROW" sign. Self-adhesive sign dimensions 226 x 110 mm



Index: 13.5508.0007.00
Name: EVO "DOOR on right" sign. Self-adhesive sign dimensions 226 x 110 mm



Index: 13.5508.0008.00
Name: EVO "DOOR on left" sign. Self-adhesive sign dimensions 226 x 110 mm




Index: 13.5508.0009.00
Name: EVO "EXIT on right" sign. Self-adhesive sign dimensions 226 x 110 mm



Index: 13.5508.0011.00
Name: EVO "EXIT down" sign. Self-adhesive sign dimensions 226 x 110 mm

Index: 13.5508.0012.00
Name: EVO Exit Signage for Evolution series. Vision distance of 22m according to UNE-EN1838



Index: 13.5508.0001.00
Name: Anti-vandal device IK10